Ref #	, Hits	Search Query	OBs	Default Operator	Plurals	Time Stamp
L2	3918	(705/51,59,54,57,18 OR 380/201-204 OR 713/175,156,159,161,165).œls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 22:51
L3	1172	2 AND (creat\$3 OR generat\$3 OR produc\$3 OR mak\$3 OR establish\$3 OR build\$3 OR construct\$3) NEAR50 (voucher\$1 OR license\$1 OR (usage ADJ2 right\$1) OR right\$1 OR ticket\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 22:53
L4	21	3 AND (((encrypt\$3 OR encipher\$3 OR (en\$1 ADJ cipher\$3) OR cipher\$3) ADJ3 key\$1) NEAR50 (random\$2 OR arbitrar\$3 OR subjective\$2 OR impartial\$2 OR chance) NEAR50 (chosen OR choos\$3 OR select\$3 OR pick\$3 OR elect\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 22:53
L5	4	4 AND ((stor\$3 OR associat\$3 sav\$3 OR includ\$3) ADJ50 ((encrypt\$3 OR encipher\$3 OR (en\$1 ADJ cipher\$3) OR cipher\$3) ADJ3 key\$1) NEAR50 (voucher\$1 OR license\$1 OR (usage ADJ2 right\$1) OR right\$1 OR ticket\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 22:54
L6	3	5 AND (((public\$1 AND (private OR secret)) ADJ2 key\$1) NEAR50 (device\$1 OR user\$1 OR (media OR medium)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR . ·	ON	2005/08/08 22:56
L7	3	6 AND ((decrypt\$3 OR (de\$1 ADJ2 crypt\$3) OR decipher\$3 OR (de\$1 ADJ2 cipher\$3) OR (de\$1 ADJ2 cypher\$3) OR (de\$1 ADJ2 scrambl\$3)) NEAR50 (key\$1 OR content\$1 OR data OR item\$1 OR file\$1 OR music\$1 OR media))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 22:57
L8	0	7 AND (render\$3 ADJ3 device\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 22:58
โร	1	7 AND (browser\$1 OR (plug\$1 ADJ2 in\$1) OR (media ADJ2 player\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 23:04

S1	182	(("5,636,277") or ("EP1104973") or ("4,114,	US-PGPUB;	OR	OFF	2005/07/31 10:11
1	•	139") or ("4,227,253") or ("4,577,289") or	USPAT;			
		("4,644,493") or ("4,714.992") or ("4,757,	USOCR;			
		534") or ("4,817.140") or ("4,866,769") or	EPO; JPO;			
1		("4,888,798") or ("4,903,296") or ("4,930,	DERWENT;			
		073") or ("5,048.085") or ("5,109,413") or	IBM_TDB		İ	İ
		("5,146,575") or ("5,148,481") or ("5,224,				
		166") or ("5,263,158") or ("5,276.901") or				•
		("5,287,407") or ("5,310,705") or ("5,349,				
		643") or ("5,365,587") or ("5,381,480") or				
		("5,392,351") or ("5,414,852") or ("5,421,				
		011") or ("5,423.042") or ("5,442,771") or				
		("5,454.000") or ("5.457,746") or ("5,490,			1	
		270") or ("5,491,750") or ("5,495,533") or				
		("5,497,491") or ("5,500,897") or ("5,504,				
		757") or ("5,509,070") or ("5,528,759") or				
		("5,530,235") or ("5,530.920") or ("5,532,				
		920") or ("5,535,322") or ("5.537.642") or				
		("5,539,826") or ("5,539,828") or ("5,542.		,-,	,	2
	••	046") or ("5,546,573") or ("5,560,008") or			-	,
		("5,563,946") or ("5,564,038") or ("5,564,				
		040") or ("5,598.470") or ("5,629,980") or			1	
		("5,634,012") or ("5,638,443") or ("5,642,				
ļ		515") or ("5.652.908") or ("5,661,800") or		·		
- 1		("5,663.896") or ("5,671,360") or ("5,673,				
- 1		315") or ("5.673,316") or ("5,677,953") or	·			
- 1		("5,689,560") or ("5,692,190") or ("5,703,	İ			
		951") or ("5,706.349") or ("5,712,914") or				
		("5,715,403") or ("5,719,943") or ("5,721,				
- 1		777") or ("5.721,943") or ("5,734,719") or				
		("5,737,416") or ("5,757,417") or ("5,757,				٠.
		907") or ("5,757,908") or ("5,757,915") or				
		("5,758,068") or·("5,768,568") or ("5,771,				
ŀ		347") or ("5,787,169") or ("5.805.712") or			1.	
		("5,825,877") or ("5,825,892") or ("5,832,				
		119") or ("5,836,011") or ("5,845,281") or				
		("5,852,800") or ("5,859,973") or ("5,862,	Ì			
	•	325") or ("5,870,543") or ("5,875,249") or		'	1.	8
1		("5,878.218") or ("5,883,954") or ("5,883,	120			
- 1		955") or ("5.878,144") or ("5,883,958") or	1			
.		("5.887,060") or ("5,892,900") or ("5,903,	'			
	•	647") or ("5,907,617") or ("5,910.987") or		ł		
		("5,917,912") or ("5,915,018") or ("5,915,	1			
		019") or ("5.917,908") or ("5,917,910") or	1			
		("5,920,861") or ("5,943,422") or ("5.949,		1		· ·
		876") or ("5,949,877") or ("5,963,944") or				
.		("5,978,482")).PN.				

S2 .	220	(("5,982,891") or ("5,987,440") or ("5,991, 399") or ("5,991,499") or ("6,003,135") or ("6,005,643") or ("6,006,332") or ("6,009, 401") or ("6,009,525") or ("6,014,442") or ("6,023,764") or ("6,028,541") or ("6,038, 316") or ("6,043,763") or ("6,044,205") or ("6,055,314") or ("6,055,503") or ("6,075, 971") or ("6,088,717") or ("6,088,802") or ("6.112,181") or ("6,125,348") or ("6,134, 551") or ("6,135,646") or ("6,167,093") or ("6,175,626") or ("6,182,218") or ("6,185, 684") or ("6,189,008") or ("6,189,097") or ("6,202,056") or ("6,205,549") or ("6,209,	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/07/31 10:11
		103") or ("6,215,745") or ("6,223,287") or ("6,223,291") or ("6,226,618") or ("6,233,684") or ("6,236,971") or ("6,266,654") or ("6,389,402") or ("6,463,534") or ("20010008557") or ("20010010045") or		,	X)	
		("0739693") or ("0874299") or ("0971350") or ("0975111") or ("1001330") or ("1001419") or ("1001625") or ("1006730") or ("1018733") or ("1032205") or ("1037131") or ("1037460") or ("0043729") or ("1052850") or ("1052853") or ("1081575") or ("1089241") or ("1093104") or ("0994404") or ("117053") or ("1158417") or ("2000333141") or ("2001024990") or ("2001078154") or ("2002140535")).PN.				*
S3	14021	(encrypt\$3 OR encipher\$3 OR (en\$1 ADJ cipher\$3) OR cipher\$3) NEAR50 ((content\$1 OR data OR item\$1 OR file\$1) AND ((encrypt\$3 OR encipher\$3 OR (en\$1 ADJ cipher\$3) OR cipher\$3) ADJ3 key\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 17:28
S4	2338	S3 AND (creat\$3 OR generat\$3 OR produc\$3 OR mak\$3 OR establish\$3 OR build\$3 OR construct\$3) NEAR50 (voucher\$1 OR license\$1 OR (usage ADJ2 right\$1) OR right\$1 OR ticket\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON :	2005/08/02 16:08
S5	369	S4 AND ((stor\$3 OR associat\$3 sav\$3 OR includ\$3) ADJ50 ((encrypt\$3 OR encipher\$3 OR (en\$1 ADJ cipher\$3) OR cipher\$3) ADJ3 key\$1) NEAR50 (voucher\$1 OR license\$1 OR (usage ADJ2 right\$1) OR right\$1 OR ticket\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 16:07
S6	8	S5 AND (((encrypt\$3 OR encipher\$3 OR (en\$1 ADJ cipher\$3) OR cipher\$3) ADJ3 key\$1) NEAR50 (random\$2 OR arbitrar\$3 OR subjective\$2 OR impartial\$2 OR chance) NEAR50 (chosen OR choos\$3 OR select\$3 OR pick\$3 OR elect\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 16:08

S7	182	(("5,636,277") or ("EP1104973") or ("4,114, 139") or ("4,227,253") or ("4,577,289") or ("4,644,493") or ("4,714.992") or ("4,757, 534") or ("4,817.140") or ("4,866,769") or ("4,888,798") or ("4,903,296") or ("4,930, 073") or ("5,048.085") or ("5,109,413") or ("5,146,575") or ("5,148,481") or ("5,224, 166") or ("5,263,158") or ("5,276.901") or ("5,287,407") or ("5,310,705") or ("5,349, 643") or ("5,365,587") or ("5,381,480") or ("5,392,351") or ("5,414,852") or ("5,421, 011") or ("5,423.042") or ("5,442,771") or ("5,454.000") or ("5,457,746") or ("5,490,	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 16:07
	•	270") or ("5,491,750") or ("5,495,533") or ("5,497,491") or ("5,500,897") or ("5,504, 757") or ("5,509,070") or ("5,528,759") or ("5,530,235") or ("5,530,920") or ("5,532, 920") or ("5,535,322") or ("5,537,642") or ("5,539,826") or ("5,539,828") or ("5,542, 046") or ("5,546,573") or ("5,560,008") or ("5,563,946") or ("5,564,038") or ("5,564, 040") or ("5,598,470") or ("5,629,980") or			· · · · · · · · · · · · · · · · · · ·	
		("5,634,012") or ("5,638,443") or ("5,642, 515") or ("5.652.908") or ("5,661,800") or ("5,663.896") or ("5,671,360") or ("5,673, 315") or ("5.673,316") or ("5,677,953") or ("5,689,560") or ("5,692,190") or ("5,703, 951") or ("5,706.349") or ("5,712,914") or ("5,715,403") or ("5,719,943") or ("5,721, 777") or ("5.721,943") or ("5,734,719") or				
		("5,737,416") or ("5,757,417") or ("5,757, 907") or ("5,757,908") or ("5,757,915") or ("5,758,068") or ("5,768,568") or ("5,771, 347") or ("5,787,169") or ("5.805.712") or ("5,825,877") or ("5,825,892") or ("5,832, 119") or ("5,836,011") or ("5,845,281") or ("5,852,800") or ("5,859,973") or ("5,862, 325") or ("5,870,543") or ("5,875,249") or ("5,878,218") or ("5,883,954") or ("5,883,	. ,			
		955") or ("5.878,144") or ("5,883,958") or ("5.887,060") or ("5,892,900") or ("5,903,647") or ("5,907,617") or ("5,910.987") or ("5,917,912") or ("5,915,018") or ("5,917,912") or ("5,943,422") or ("5,949,876") or ("5,949,877") or ("5,963,944") or ("5,978,482")).PN.				
\$8	38	S7 AND (creat\$3 OR generat\$3 OR produc\$3 OR mak\$3 OR establish\$3 OR build\$3 OR construct\$3) NEAR50 (voucher\$1 OR license\$1 OR (usage ADJ2 right\$1) OR right\$1 OR ticket\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 17:35

2	S8 AND ((stor\$3 OR associat\$3 sav\$3 OR includ\$3) ADJ50 ((encrypt\$3 OR encipher\$3 OR (en\$1 ADJ cipher\$3) OR cipher\$3) ADJ3 key\$1) NEAR50 (voucher\$1 OR license\$1 OR (usage ADJ2 right\$1) OR right\$1 OR ticket\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	<b>OR</b>	ON	2005/08/02 17:44
2	S9 AND (creat\$3 OR generat\$3 OR produc\$3 OR mak\$3 OR establish\$3 OR build\$3 OR construct\$3) NEAR50 (voucher\$1 OR license\$1 OR (usage ADJ2 right\$1) OR right\$1 OR ticket\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON <sub>.</sub>	2005/08/02 17:42
2	S10 AND (((encrypt\$3 OR encipher\$3 OR (en\$1 ADJ cipher\$3) OR cipher\$3) ADJ3 key\$1) NEAR50 (random\$2 OR arbitrar\$3 OR subjective\$2 OR impartial\$2 OR chance) NEAR50 (chosen OR choos\$3 OR color#\$2) OR side\$3 OR clor#\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2005/08/02 17:43
0	S11 AND ((public\$1 ADJ2 key\$1) NEAR50 (device\$1 AND user\$1 AND (media OR medium)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 17:38
0	S11 AND ((public\$1 ADJ2 key\$1) NEAR50 (device\$1 OR user\$1 OR (media OR medium)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2005/08/02 17:38
	·	IBM_TDB			·
1	S11 AND (public\$1 ADJ2 key\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2005/08/02 17:38 CONSIDERED
	0	includ\$3) ADJ50 ((encrypt\$3 OR encipher\$3) OR (en\$1 ADJ cipher\$3) OR cipher\$3) ADJ3 key\$1) NEAR50 (voucher\$1 OR license\$1 OR (usage ADJ2 right\$1) OR right\$1 OR ticket\$1))  2 S9 AND (creat\$3 OR generat\$3 OR produc\$3 OR mak\$3 OR establish\$3 OR build\$3 OR construct\$3) NEAR50 (voucher\$1 OR license\$1 OR (usage ADJ2 right\$1) OR right\$1 OR ticket\$1)  2 S10 AND (((encrypt\$3 OR encipher\$3 OR (en\$1 ADJ cipher\$3) OR cipher\$3) ADJ3 key\$1) NEAR50 (random\$2 OR arbitrar\$3 OR subjective\$2 OR impartial\$2 OR chance) NEAR50 (chosen OR choos\$3 OR select\$3 OR pick\$3 OR elect\$3))  3 S11 AND ((public\$1 ADJ2 key\$1) NEAR50 (device\$1 AND user\$1 AND (media OR medium)))  5 S11 AND ((public\$1 ADJ2 key\$1) NEAR50 (device\$1 OR user\$1 OR (media OR medium)))	includ\$3) ADJ50 ((encrypt\$3 OR encipher\$3 OR (en\$1 ADJ cipher\$3) OR cipher\$3) ADJ3 key\$1) NEAR50 (voucher\$1 OR license\$1 OR (usage ADJ2 right\$1) OR right\$1 OR ticket\$1))  2 S9 AND (creat\$3 OR generat\$3 OR produc\$3 OR mak\$3 OR establish\$3 OR build\$3 OR construct\$3) NEAR50 (voucher\$1 OR license\$1 OR (usage ADJ2 right\$1) OR right\$1 OR ticket\$1)  2 S10 AND (((encrypt\$3 OR encipher\$3 OR (en\$1 ADJ cipher\$3) OR cipher\$3) ADJ3 key\$1) NEAR50 (random\$2 OR arbitrar\$3 OR subjective\$2 OR impartial\$2 OR chance) NEAR50 (chosen OR choos\$3 OR) select\$3 OR pick\$3 OR elect\$3))  3 S11 AND ((public\$1 ADJ2 key\$1) NEAR50 (device\$1 AND user\$1 AND (media OR medium)))  4 S11 AND ((public\$1 ADJ2 key\$1) NEAR50 (device\$1 OR user\$1 OR (media OR medium)))  5 S11 AND (public\$1 ADJ2 key\$1) NEAR50 (device\$1 OR user\$1 OR (media OR medium)))  5 S11 AND (public\$1 ADJ2 key\$1) NEAR50 (device\$1 OR user\$1 OR (media OR medium)))  6 S11 AND (public\$1 ADJ2 key\$1) NEAR50 (device\$1 OR user\$1 OR (media OR medium)))  7 S11 AND (public\$1 ADJ2 key\$1) NEAR50 (device\$1 OR user\$1 OR (media OR medium)))  8 US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB  9 US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB  1 S11 AND (public\$1 ADJ2 key\$1) US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; USOCR; EPO; JPO;	includ\$3) ADJ50 ((encrypt\$3 OR encipher\$3 OR (en\$1 ADJ cipher\$3) OR cipher\$3) ADJ3 key\$1) NEAR50 (voucher\$1 OR license\$1 OR (usage ADJ2 right\$1) OR right\$1 OR ticket\$1))  2 S9 AND (creat\$3 OR generat\$3 OR produc\$3 OR mak\$3 OR establish\$3 OR build\$3 OR construct\$3) NEAR50 (voucher\$1 OR license\$1 OR (usage ADJ2 right\$1) OR right\$1 OR ticket\$1)  2 S10 AND (((encrypt\$3 OR encipher\$3 OR (en\$1 ADJ cipher\$3) OR cipher\$3) ADJ3 key\$1) NEAR50 (random\$2 OR arbitrar\$3 OR subjective\$2 OR impartial\$2 OR chance) NEAR50 (chosen OR choos\$3 OR select\$3 OR pick\$3 OR elect\$3))  0 S11 AND ((public\$1 ADJ2 key\$1) NEAR50 (device\$1 AND user\$1 AND (media OR medium)))  0 S11 AND ((public\$1 ADJ2 key\$1) NEAR50 (device\$1 OR user\$1 OR (media OR medium)))  1 S11 AND (public\$1 ADJ2 key\$1) NEAR50 (device\$1 OR user\$1 OR (media OR medium)))  1 S11 AND (public\$1 ADJ2 key\$1) NEAR50 (device\$1 OR user\$1 OR (media OR medium)))  1 S11 AND (public\$1 ADJ2 key\$1) NEAR50 (device\$1 OR user\$1 OR (media OR medium)))  2 S11 AND (public\$1 ADJ2 key\$1) NEAR50 (device\$1 OR user\$1 OR (media OR medium)))  3 S11 AND (public\$1 ADJ2 key\$1) NEAR50 (device\$1 OR user\$1 OR (media OR medium)))  4 US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB  5 US-PGPUB; USOCR; EPO; JPO; DERWENT; USOCR; EPO; JPO; DERWENT; USOCR; EPO; JPO; DERWENT; USOCR; EPO; JPO; DERWENT; USOCR; EPO; JPO; DERWENT; USOCR; EPO; JPO; DERWENT; USOCR; EPO; JPO; DERWENT; USOCR; EPO; JPO; DERWENT; USOCR; EPO; JPO; DERWENT;	includ\$3) ADJ50 ((encrypt\$3 OR encipher\$3 OR (ens1 ADJ cipher\$3) OR cipher\$3 OR (ens1 ADJ cipher\$3) OR cipher\$3 (OR (usage ADJ2 right\$1) OR right\$1 OR (usage ADJ2 right\$1) OR right\$1 OR (icket\$1))  2 S9 AND (creat\$3 OR generat\$3 OR produc\$3 OR mak\$3 OR establish\$3 OR build\$3 OR construct\$3) NEAR50 (voucher\$1 OR license\$1 OR (usage ADJ2 right\$1) OR right\$1 OR ticket\$1)  2 S10 AND (((encrypt\$3 OR encipher\$3 OR (en\$1 ADJ cipher\$3) OR cipher\$3) ADJ3 key\$1) NEAR50 (random\$2 OR arbitrar\$3 OR subjective\$2 OR impartial\$2 OR chance) NEAR50 (chosen OR choos\$3 OR select\$3 OR pick\$3 OR elect\$3))  0 S11 AND ((public\$1 ADJ2 key\$1) NEAR50 (device\$1 AND user\$1 AND (media OR medium)))  0 S11 AND ((public\$1 ADJ2 key\$1) NEAR50 (device\$1 OR user\$1 OR (media OR medium)))  1 S11 AND (public\$1 ADJ2 key\$1) NEAR50 (device\$1 OR user\$1 OR (media OR medium)))  1 S11 AND (public\$1 ADJ2 key\$1) NEAR50 (device\$1 OR user\$1 OR (media OR medium)))  1 S11 AND (public\$1 ADJ2 key\$1) NEAR50 (device\$1 OR user\$1 OR (media OR medium)))  2 S11 AND (public\$1 ADJ2 key\$1) NEAR50 (device\$1 OR user\$1 OR (media OR medium)))  3 S11 AND (public\$1 ADJ2 key\$1) NEAR50 (device\$1 OR user\$1 OR (media OR medium)))  4 S11 AND (public\$1 ADJ2 key\$1)  5 S11 AND (public\$1 ADJ2 key\$1)  5 S11 AND (public\$1 ADJ2 key\$1)  5 S11 AND (public\$1 ADJ2 key\$1)  6 OR CN CN CN CN CN CN CN CN CN CN CN CN CN

S15	220	(("5,982,891") or ("5,987,440") or ("5,991,	US-PGPUB;	OR	OFF	2005/08/02 16:20
"	220	399") or ("5,991,499") or ("6,003,135") or	USPAT;		···	
		("6,005,643") or ("6,006,332") or ("6,009,	USOCR;			
		401") or ("6,009,525") or ("6,014,442") or	EPO; JPO;		ļ	
		("6,023,764") or ("6,028,541") or ("6,038,	DERWENT:			
		316") or ("6,043,763") or ("6,044,205") or	IBM_TDB			
İ		("6,055,314") or ("6,055,503") or ("6,075,				
[		971") or ("6,088,717") or ("6,088,802") or				
1	:	("6.112,181") or ("6,125,348") or ("6,134,				
		551") or ("6,135,646") or ("6,167,093") or				
		("6,175,626") or ("6,182,218") or ("6,185,				
1 1		684") or ("6,189,008") or ("6,189.097") or				.
		("6,202,056") or ("6,205,549") or ("6,209,				
		103") or ("6,215,745") or ("6,223,287") or	•			
		("6,223,291") or ("6.226,618") or ("6,233,				
		684") or ("6,236,971") or ("6,266,654") or				
.		("6,389,402") or ("6,463,534") or		1		
1 1		("20010008557") or ("20010010045") or				
l		("0739693") or ("0874299") or ("0971350")			42. G	
		or ("0975111") or ("1001330") or	-			
		("1001419") or ("1001625") or ("1006730")				
		or ("1018733") or ("1032205") or				
		("1037131") or ("1037460") or ("0043729")	İ			
		or ("1052850") or ("1052853") or				
		("1081575") or ("1089241") or ("1093104")		1		
		or ("0994404") or ("1117053") or ("l158417")		1	E	
		or ("2000315170") or ("2000324096") or		,		1
		("2000333141") or ("2001024990") or	·			
		("2001078154") or ("2002140535")).PN.				
S16	23	S15 AND (creat\$3 OR generat\$3 OR	US-PGPUB;	OR	ON	2005/08/02 16:20
		produc\$3 OR mak\$3 OR establish\$3 OR	USPAT;			
		build\$3 OR construct\$3) NEAR50	USOCR;			
		(voucher\$1 OR license\$1 OR (usage ADJ2	EPO; JPO;		ļ	
		right\$1) OR right\$1 OR ticket\$1)	DERWENT;			
			IBM_TDB			
S17	23	S16 AND (creat\$3 OR generat\$3 OR	US-PGPUB;	OR	ON	2005/08/02 16:55
"		produc\$3 OR mak\$3 OR establish\$3 OR	USPAT;			
		build\$3 OR construct\$3) NEAR50	USOCR;			
<b>[</b>		(voucher\$1 OR license\$1 OR (usage ADJ2	EPO; JPO;		}	
		right\$1) OR right\$1 OR ticket\$1)	DERWENT;		1	
		Tighte 17 GTC Tighte 1 GTC List Co. 17	_IBM_TDB			
\$18	2	S17 AND ((stor\$3 OR associat\$3 sav\$3 OR	US-PGPUB;	OR	ON	2005/08/02 16:57
1310	. 2	1	USPAT;		0.1	2000/00/02 10.0/
		includ\$3) ADJ50 ((encrypt\$3 OR encipher\$3 OR (en\$1 ADJ cipher\$3) OR	USOCR;			consider
		cipher\$3) ADJ3 key\$1) NEAR50 (voucher\$1	EPO; JPO;			
		OR license\$1 OR (usage ADJ2 right\$1) OR	DERWENT;	1		
↓		right\$1 OR ticket\$1))	IBM_TDB			
				00	011	2005/20/20 10 53
S19	0	S18 AND (((encrypt\$3 OR encipher\$3 OR	US-PGPUB;	OR	ON	2005/08/02 16:57
		(en\$1 ADJ cipher\$3) OR cipher\$3) ADJ3	USPAT;			
		key\$1) NEAR50 (random\$2 OR arbitrar\$3	USOCR;			
		OR subjective\$2 OR impartial\$2 OR	EPO; JPO;			
		chance) NEAR50 (chosen OR choos\$3 OR	DERWENT;			
	[	select\$3 OR pick\$3 OR elect\$3))	IBM_TDB		J	

S20	4	4	(("20020049679") or ("6792113")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 17:34	
S21		2	S20 AND (creat\$3 OR generat\$3 OR produc\$3 OR mak\$3 OR establish\$3 OR build\$3 OR construct\$3) NEAR50 (voucher\$1 OR license\$1 OR (usage ADJ2 right\$1) OR right\$1 OR ticket\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 17:35	
\$22		1	S21 AND ((stor\$3 OR associat\$3 sav\$3 OR includ\$3) ADJ50 ((encrypt\$3 OR encipher\$3 OR (en\$1 ADJ cipher\$3) OR cipher\$3) ADJ3 key\$1) NEAR50 (voucher\$1 OR license\$1 OR (usage ADJ2 right\$1) OR right\$1 OR ticket\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 17:41	sider
S23		0	S22 AND (((encrypt\$3 OR encipher\$3 OR (en\$1 ADJ cipher\$3) OR cipher\$3) ADJ3 key\$1) NEAR50 (random\$2 OR arbitrar\$3 OR subjective\$2 OR impartial\$2 OR chance) NEAR50 (chosen OR choos\$3 OR select\$3 OR pick\$3 OR elect\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/08/02 17:37	
S24	(	0	S22 AND ((public\$1 ADJ2 key\$1) NEAR50 (device\$1 AND user\$1 AND (media OR medium)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OŅ	2005/08/02 17:38	
S25	(	0	S22 AND ((public\$1 ADJ2 key\$1) NEAR50 (device\$1 OR user\$1 OR (media OR medium)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/08/02 17:38	
S26		0	S22 AND ((public\$1 AND (private OR secret)) ADJ2 key\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 17:41	
S27		0	S21 AND ((public\$1 AND (private OR secret)) ADJ2 key\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 17:41	

	<del></del>					
S28	0	S21 AND ((public\$1 OR (private OR secret)) ADJ2 key\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/08/02 17:45
S29	. 2	("6385596").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 17:42
S30	. 1	S29 AND (creat\$3 OR generat\$3 OR produc\$3 OR mak\$3 OR establish\$3 OR build\$3 OR construct\$3) NEAR50 (voucher\$1 OR license\$1 OR (usage ADJ2 right\$1) OR right\$1 OR ticket\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 22:53
S31	. 1	S30 AND (((encrypt\$3 OR encipher\$3 OR (en\$1 ADJ cipher\$3) OR cipher\$3) ADJ3 key\$1) NEAR50 (random\$2 OR arbitrar\$3 OR subjective\$2 OR impartial\$2 OR chance) NEAR50 (chosen OR choos\$3 OR select\$3 OR pick\$3 OR elect\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2005/08/08 22:53
S32		S31 AND ((stor\$3 OR associat\$3 sav\$3 OR includ\$3) ADJ50 ((encrypt\$3 OR encipher\$3 OR (en\$1 ADJ cipher\$3) OR cipher\$3) ADJ3 key\$1) NEAR50 (voucher\$1 OR license\$1 OR (usage ADJ2 right\$1) OR right\$1 OR ticket\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 22:53
S33	0	S32 AND (((public\$1 OR (private OR secret)) ADJ2 key\$1) NEAR50 (device\$1 AND user\$1 AND (media OR medium)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 17:46
S34	1	S32 AND (((public\$1 OR (private OR secret)) ADJ2 key\$1) NEAR50 (device\$1 OR user\$1 OR (media OR medium)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 22:54 ·
S35	1	S32 AND (((public\$1 AND (private OR secret)) ADJ2 key\$1) NEAR50 (device\$1 OR user\$1 OR (media OR medium)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 22:55

•	S36	1	S35 AND ((decrypt\$3 OR (de\$1 ADJ2 crypt\$3) OR decipher\$3 OR (de\$1 ADJ2 cipher\$3) OR (de\$1 ADJ2 cypher\$3) OR (de\$1 ADJ2 scrambl\$3)) NEAR50 (key\$1 OR content\$1 OR data OR item\$1 OR file\$1 OR music\$1 OR media))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/08/08 22:57	
	\$37	0	S36 AND (render\$3 ADJ3 device\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; -IBM_TDB	OR	ON	2005/08/08 22:58	
	\$38	1	S36 AND (browser\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 22:58	sidered
	S39	81	("4747139"   "4817140"   "5003410"   "5033084"   "5034980"   "5155768"   "5191573"   "5199066"   "5418713"   "5592651"   "5621796"   "5623547"   "5636276"   "5661799"   "5673316"   "5675734"   "5677953"   "5715314"   "5724424"   "5734823"   "5734891"   "5742845"   "5745568"   "5754649"   "5757907"   "5778421"   "5790677"   "5794217"   "5809144"   "5857021"   "5889860"   "5892900"   "5900564"   "5910987"   "5915019"   "5917912"   "5920861"   "5943422"   "5949876"   "5982891"   "6005939"   "6061448"   "6112181"   "6138119"   "6157721"   "6185683"   "6189098"   "6236971"   "6237786"   "6240185"   "6253193").PN. OR ("6385596").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/02 18:55	